




# DripLine and DripTape

 **SAB**  
cherish your water  
 **SYSTEM GROUP**

10.2022



- ✓ **Uniformità eccellente: CV < 3.0**  
Excellent flow rate: CV < 3.0 / Debit excellent: CV < 3.0 /  
Excelente caudal: CV < 3.0 / Превосходный показатель расхода: CV < 3.0
- ✓ **Esponente estremamente basso: 0,49**  
Extremely low exponent: 0,49 / Exponent extrêmement faible: 0,49 /  
Exponente extremadamente bajo: 0,49 / Крайне низкий экспонент 0,49
- ✓ **Elevata resistenza all'occlusione**  
High resistance to clogging / Haute resistance au obstruction /  
Alta resistencia al taponamiento /  
Высокая устойчивость к засорению
- ✓ **Filtrazione richiesta**  
Filtration required / Filtrage recommandé /  
Filtración requerida / Требуемый уровень фильтрации  
130 micron - 120 mesh → 1,2 / 1,6 / 2,4 l/h  
100 micron - 150 mesh → 0,8 l/h

- ✓ **Flusso ad elevata turbolenza**  
Guaranteed water turbulence / Turbulence de l'eau garantie /  
Turbulencia de agua garantizada / Поток высокой турбулентности
- ✓ **Labirinto ampio e profondo**  
Deep and wide flow path  
Labyrinthe profond et à large section  
Laberinto de sección profunda y amplia  
Широкий и глубокий лабиринт
- ✓ **Filtro a sezione tridimensionale**  
Large 3D filtration area / Large zone de filtration 3D /  
Amplia área de filtración 3D /  
Обильная поверхность фильтрации 3D

|     |    | Ø 16 mm |       |     |    | Ø 22 mm |       |     |    | Ø 29 mm |       |     |  |
|-----|----|---------|-------|-----|----|---------|-------|-----|----|---------|-------|-----|--|
|     |    | *m      |       |     |    | *m      |       |     |    | *m      |       |     |  |
| I/h | cm | I/h-m   | * 90% | 85% | cm | I/h-m   | * 90% | 85% | cm | I/h-m   | * 90% | 85% |  |
| 0,8 | 15 | 5,3     | 141   | 173 | 15 | 5,3     | 243   | 305 | 15 | 5,3     | 377   | 468 |  |
|     | 20 | 4,0     | 174   | 213 | 20 | 4,0     | 300   | 376 | 20 | 4,0     | 466   | 578 |  |
|     | 30 | 2,7     | 225   | 278 | 30 | 2,7     | 393   | 480 | 30 | 2,7     | 600   | 748 |  |
|     | 40 | 2,0     | 265   | 330 | 40 | 2,0     | 472   | 523 | 40 | 2,0     | 721   | 890 |  |
|     | 50 | 1,6     | 305   | 380 | 50 | 1,6     | 543   | 601 | 50 | 1,6     | 829   | 996 |  |
| 1,2 | 15 | 7,5     | 109   | 128 | 15 | 7,5     | 181   | 223 | 15 | 7,5     | 279   | 345 |  |
|     | 20 | 6,0     | 135   | 158 | 20 | 6,0     | 223   | 276 | 20 | 6,0     | 345   | 426 |  |
|     | 30 | 4,0     | 173   | 205 | 30 | 4,0     | 289   | 357 | 30 | 4,0     | 446   | 552 |  |
|     | 40 | 3,0     | 212   | 246 | 40 | 3,0     | 346   | 428 | 40 | 3,0     | 536   | 663 |  |
|     | 50 | 2,4     | 244   | 283 | 50 | 2,4     | 398   | 492 | 50 | 2,4     | 616   | 762 |  |
| 1,6 | 15 | 10,6    | 95    | 106 | 15 | 10,6    | 150   | 186 | 15 | 10,6    | 232   | 287 |  |
|     | 20 | 8,0     | 119   | 132 | 20 | 8,0     | 186   | 229 | 20 | 8,0     | 287   | 354 |  |
|     | 30 | 5,3     | 149   | 170 | 30 | 5,3     | 240   | 297 | 30 | 5,3     | 370   | 459 |  |
|     | 40 | 4,0     | 180   | 205 | 40 | 4,0     | 288   | 356 | 40 | 4,0     | 445   | 551 |  |
|     | 50 | 3,2     | 207   | 236 | 50 | 3,2     | 331   | 409 | 50 | 3,2     | 512   | 633 |  |
| 2,4 | 15 | 16,0    | 73    | 91  | 15 | 16,0    | 116   | 144 | 15 | 16,0    | 180   | 223 |  |
|     | 20 | 12,0    | 83    | 102 | 20 | 12,0    | 144   | 178 | 20 | 12,0    | 223   | 275 |  |
|     | 30 | 8,0     | 107   | 132 | 30 | 8,0     | 187   | 230 | 30 | 8,0     | 288   | 357 |  |
|     | 40 | 6,0     | 128   | 159 | 40 | 6,0     | 224   | 277 | 40 | 6,0     | 347   | 428 |  |
|     | 50 | 4,8     | 147   | 183 | 50 | 4,8     | 257   | 318 | 50 | 4,8     | 399   | 493 |  |

\* E.U. – uniformità di emissione / emission uniformity / uniformité d'émission / uniformidad de emisión / равномерность расхода


\*m – lunghezza d'ala / max. lateral length / longueur / longitud / длина ряда

# Main coil


CODE: 3DL




| Ø  | mil | mm    | bar | bar max | ≤ 20 cm |      | > 20 cm |      |
|----|-----|-------|-----|---------|---------|------|---------|------|
|    |     |       |     |         | m       | kg   | m       | kg   |
| 16 | 5   | 0,125 | 0,6 | 0,7     | 3200    | 26,0 | 3500    | 28,0 |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 2700    | 25,2 | 3000    | 27,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 2500    | 25,0 | 2800    | 26,0 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 2000    | 24,7 | 2200    | 26,4 |
| 16 | 10  | 0,250 | 0,7 | 1,1     | 1600    | 24,3 | 1800    | 26,8 |
| 16 | 12  | 0,300 | 0,7 | 1,3     | 1300    | 23,8 | 1500    | 26,7 |
| 16 | 15  | 0,380 | 0,7 | 1,5     | 1100    | 24,8 | 1200    | 26,8 |
| 16 | 18  | 0,450 | 0,7 | 1,7     | 900     | 24,5 | 900     | 24,5 |
| 16 | 25  | 0,600 | 0,7 | 2,0     | 600     | 25,2 | 600     | 25,2 |
| 16 | 30  | 0,760 | 0,7 | 2,0     | 400     | 20,5 | 400     | 20,5 |
| 16 | 35  | 0,890 | 0,7 | 2,0     | 300     | 18,2 | 300     | 18,1 |
| 22 | 6   | 0,150 | 0,6 | 0,7     | 2200    | 29,7 | 2400    | 29,0 |
| 22 | 7   | 0,175 | 0,7 | 0,8     | 2000    | 29,3 | 2200    | 30,0 |
| 22 | 8   | 0,200 | 0,7 | 0,9     | 1700    | 28,1 | 1900    | 30,7 |
| 22 | 10  | 0,250 | 0,7 | 1,0     | 1200    | 24,8 | 1400    | 28,3 |
| 22 | 12  | 0,300 | 0,7 | 1,1     | 1000    | 24,7 | 1200    | 29,1 |
| 22 | 15  | 0,380 | 0,7 | 1,3     | 700     | 23,0 | 800     | 24,4 |
| 22 | 18  | 0,450 | 0,7 | 1,5     | 500     | 22,2 | 600     | 22,1 |
| 29 | 10  | 0,250 | 0,7 | 0,9     |         |      |         |      |
| 29 | 12  | 0,300 | 0,7 | 1,0     |         |      |         |      |
| 29 | 15  | 0,380 | 0,7 | 1,1     |         |      |         |      |
| 29 | 18  | 0,450 | 0,7 | 1,3     |         |      |         |      |



20' container



40' high cube container



truck




| coils x pallet | 20' container |       | 40' high cube container |       | 40' container |       | truck   |       |
|----------------|---------------|-------|-------------------------|-------|---------------|-------|---------|-------|
|                | pallet        | coils | pallet                  | coils | pallet        | coils | pallet  | coils |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |
| 16 - 28 - 32   | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32       | 832   | 26 x 32 | 832   |


# Half coil




| Ø  | mil | mm    | bar | bar max | ≤ 20 cm |      | > 20 cm |      |
|----|-----|-------|-----|---------|---------|------|---------|------|
|    |     |       |     |         | m       | kg   | m       | kg   |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 1350    | 10,9 | 1500    | 11,8 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 1000    | 10,7 | 1100    | 11,5 |



20' container



40' container



truck






| coils x pallet | 20' container |       | 40' container |       | truck  |       |
|----------------|---------------|-------|---------------|-------|--------|-------|
|                | pallet        | coils | pallet        | coils | pallet | coils |
| 56             | 10            | 560   | 24            | 1344  | 26     | 1456  |
| 56             | 10            | 560   | 24            | 1344  | 26     | 1456  |

## Flow rate vs Pressure

|  | Pressure [bar] | 0,4          | 0,5  | 0,7  | 1,0  | 1,2  | 1,5  | 2,0  |
|--|----------------|--------------|------|------|------|------|------|------|
|  |                | Nominal flow | 0,8  | 0,51 | 0,57 | 0,67 | 0,80 | 0,87 |
|  | 1,2            | 0,77         | 0,85 | 1,00 | 1,20 | 1,31 | 1,46 | 1,69 |
|  | 1,6            | 1,02         | 1,14 | 1,35 | 1,60 | 1,75 | 1,95 | 2,25 |
|  | 2,4            | 1,53         | 1,71 | 2,00 | 2,40 | 2,62 | 2,93 | 3,37 |

## Flow vs Pressure chart





✓ **Gocciolatore anti reflusso**  
 Anti-reflux slit emitter / Orifice anti-reflux /  
 Gotoero protegido / Эмиттер с предотвращением противотока

✓ **Flusso turbolento**  
 Turbulent flow / Flux turbulent /  
 Flujo turbolento / Турбулентный поток

✓ **Filtrazione richiesta**  
 Filtration required / Filtrage recommandé /  
 Filtración requerida / Требуемый уровень фильтрации  
 100 micron - 150 mesh

✓ **Labirinto ad ampia sezione**  
 Large section labyrinth / Labyrinthe à section large /  
 Laberinto de sección amplia / Лабиринт широкого сечения


✓ **Filtro d'ingresso**  
 Inlet filter / Filtre d'entrée /  
 Filtro de entrada / Входной фильтр

| I/h | cm | I/h-m | Ø 16 mm |       | Ø 22 mm |       |
|-----|----|-------|---------|-------|---------|-------|
|     |    |       | * 90%   | * 85% | * 90%   | * 85% |
| 0,6 | 15 | 4,0   | 165     | 180   | 252     | 298   |
|     | 20 | 3,0   | 210     | 260   | 380     | 475   |
|     | 30 | 2,0   | 270     | 340   | 490     | 610   |
|     | 40 | 1,5   | 320     | 400   | 600     | 700   |
| 1,0 | 10 | 10,0  | 100     | 120   | -       | -     |
|     | 15 | 6,6   | 120     | 140   | 190     | 228   |
|     | 20 | 5,0   | 150     | 185   | 285     | 330   |
|     | 30 | 3,3   | 190     | 240   | 365     | 400   |
|     | 40 | 2,5   | 225     | 280   | 450     | 550   |
| 1,5 | 10 | 15,0  | 80      | 95    | -       | -     |
|     | 20 | 7,5   | 110     | 140   | 210     | 250   |
|     | 30 | 5,0   | 140     | 170   | 280     | 300   |
|     | 40 | 3,8   | -       | -     | 340     | 410   |
| 2,0 | 10 | 20,0  | 60      | 70    | -       | -     |
|     | 20 | 10,0  | 85      | 105   | -       | -     |

**Flow rate vs Pressure**

|  | Pressure [bar]      | 0,3  | 0,5  | 0,7  | 1,0  |
|--|---------------------|------|------|------|------|
|  | <b>Nominal flow</b> | 0,6  | 0,37 | 0,50 | 0,60 |
|  | 1,0                 | 0,65 | 0,83 | 1,00 | 1,21 |
|  | 1,5                 | 1,10 | 1,31 | 1,48 | 1,69 |
|  | 2,0                 | 1,39 | 1,71 | 1,96 | 2,18 |

**Flow vs Pressure chart**



\* E.U. – uniformità di emissione / emission uniformity  
 uniformité d'émission / uniformidad de emisión / равномерность расхода  
 \* m – lunghezza d'ala / max. lateral length / longueur / longitud / длина ряда




### Main coil

CODE: 33L




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| 16 | 5   | 0,125 | 0,6 | 0,7     | 3500 | 30,0 |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 3000 | 29,5 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 2500 | 26,5 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 2200 | 27,0 |
| 16 | 10  | 0,250 | 0,7 | 1,1     | 1800 | 25,0 |
| 16 | 12  | 0,300 | 0,7 | 1,3     | 1500 | 24,0 |
| 16 | 15  | 0,375 | 0,7 | 1,5     | 1200 | 23,0 |
| 22 | 6   | 0,150 | 0,6 | 0,7     | 2200 | 28,0 |
| 22 | 7   | 0,175 | 0,7 | 0,8     | 2000 | 27,0 |
| 22 | 8   | 0,200 | 0,7 | 0,9     | 1700 | 27,0 |
| 22 | 10  | 0,250 | 0,7 | 1,0     | 1300 | 26,0 |
| 22 | 12  | 0,300 | 0,7 | 1,1     | 1000 | 24,0 |




| coils x pallet |
|----------------|
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |

20' container



| pallet  | coils |
|---------|-------|
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |

40' hight cube container



| pallet  | coils |
|---------|-------|
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |

truck




| pallet  | coils |
|---------|-------|
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |

### Half coil




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| 16 | 5   | 0,125 | 0,6 | 0,7     | 1750 | 15,4 |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 1500 | 15,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 1250 | 13,4 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 1100 | 13,7 |




| coils x pallet |
|----------------|
| 56             |
| 56             |
| 56             |
| 56             |

20' container



| pallet | coils |
|--------|-------|
| 10     | 560   |
| 10     | 560   |
| 10     | 560   |
| 10     | 560   |

40' container



| pallet | coils |
|--------|-------|
| 24     | 1344  |
| 24     | 1344  |
| 24     | 1344  |
| 24     | 1344  |

truck




| pallet | coils |
|--------|-------|
| 26     | 1456  |
| 26     | 1456  |
| 26     | 1456  |
| 26     | 1456  |

### 1000m coil




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| -  | -   | -     | -   | -       | -    | -    |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 1000 | 10,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 1000 | 10,7 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 1000 | 12,4 |




| coils x pallet |
|----------------|
| 72             |
| 60             |
| 60             |

20' container



| pallet | coils |
|--------|-------|
| 10     | 720   |
| 10     | 600   |
| 10     | 600   |

40' container



| pallet | coils |
|--------|-------|
| 24     | 1728  |
| 24     | 1440  |
| 24     | 1440  |

truck




| pallet | coils |
|--------|-------|
| 26     | 1872  |
| 26     | 1560  |
| 26     | 1560  |

### 200m coil




| Ø  | mil | mm    | bar | bar max | m   | Kg  |
|----|-----|-------|-----|---------|-----|-----|
| 16 | 6   | 0,150 | 0,7 | 0,8     | 200 | 2,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 200 | 2,5 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 200 | 2,6 |




| coils x pallet |
|----------------|
| 176            |
| 176            |
| 176            |

20' container



| pallet | coils |
|--------|-------|
| 10     | 1760  |
| 10     | 1760  |
| 10     | 1760  |

40' container



| pallet | coils |
|--------|-------|
| 24     | 4224  |
| 24     | 4224  |
| 24     | 4224  |

truck




| pallet | coils |
|--------|-------|
| 26     | 4576  |
| 26     | 4576  |
| 26     | 4576  |

### 100m coil




| Ø  | mil | mm    | bar | bar max | m   | Kg  |
|----|-----|-------|-----|---------|-----|-----|
| 16 | 6   | 0,150 | 0,7 | 0,8     | 100 | 1,3 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 100 | 1,3 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 100 | 1,5 |




| coils x pallet |
|----------------|
| 368            |
| 368            |
| 368            |

20' container




| pallet | coils |
|--------|-------|
| 10     | 3680  |
| 10     | 3680  |
| 10     | 3680  |

40' container




| pallet | coils |
|--------|-------|
| 24     | 8832  |
| 24     | 8832  |
| 24     | 8832  |

truck



| pallet | coils |
|--------|-------|
| 26     | 9568  |
| 26     | 9568  |
| 26     | 9568  |



✓ **Gocciolatore anti reflusso**  
 Anti-reflux slit emitter / Orifizio anti-reflux /  
 Gotoero protegido / Эмиттер с предотвращением противотока

✓ **Flusso turbolento**  
 Turbulent flow / Flux turbulent /  
 Flujo turbulento / Турбулентный поток


✓ **Filtrazione richiesta**  
 Filtration required / Filtrage recommandé /  
 Filtración requerida / Требуемый уровень фильтрации  
 100 micron - 150 mesh

✓ **Labirinto ad ampia sezione**  
 Large section labyrinth / Labyrinthe à section large /  
 Laberinto de sección amplia / Лабиринт широкого сечения

✓ **Filtro d'ingresso**  
 Inlet filter / Filtre d'entrée /  
 Filtro de entrada / Входной фильтр

|     |    |       | <b>Ø 16 mm</b> |     |
|-----|----|-------|----------------|-----|
|     |    |       | *m             |     |
| I/h | cm | I/h-m | * 90%          | 85% |
| 0,6 | 20 | 3,0   | 189            | 230 |
|     | 30 | 2,0   | 240            | 300 |
|     | 40 | 1,5   | 290            | 360 |
| 1,0 | 10 | 10,0  | 90             | 100 |
|     | 20 | 5,0   | 138            | 152 |
|     | 30 | 3,3   | 168            | 200 |
| 1,5 | 10 | 15,0  | 70             | 88  |
|     | 20 | 7,5   | 90             | 123 |
|     | 30 | 5,0   | 130            | 153 |
| 2,0 | 10 | 20,0  | 50             | 75  |
|     | 20 | 10,0  | 80             | 93  |

| Pressure [bar] | 0,3  | 0,5  | 0,7  | 1,0  |
|----------------|------|------|------|------|
| Nominal flow   | 0,31 | 0,45 | 0,60 | 0,71 |
|                | 0,60 | 0,82 | 1,00 | 1,22 |
|                | 0,98 | 1,26 | 1,50 | 1,78 |
|                | 1,40 | 1,73 | 2,07 | 2,55 |




\* E.U. – uniformità di emissione / emission uniformity  
 uniformité d'émission / uniformidad de emisión / равномерность расхода  
 \*m – lunghezza d'ala / max. lateral length / longueur / longitud / длина ряда

## Main coil

CODE: 34B




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| 16 | 5   | 0,125 | 0,6 | 0,7     | 3500 | 30,5 |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 3000 | 30,0 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 2500 | 26,5 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 2200 | 27,0 |
| 16 | 10  | 0,250 | 0,7 | 1,1     | 1800 | 25,0 |




| coils x pallet |
|----------------|
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |
| 16 - 28 - 32   |

20' container




| pallet  | coils |
|---------|-------|
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |
| 10 x 28 | 280   |

40' high cube container



| pallet  | coils |
|---------|-------|
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |
| 24 x 32 | 768   |

truck




| pallet  | coils |
|---------|-------|
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |
| 26 x 32 | 832   |

## Half coil




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| 16 | 5   | 0,125 | 0,6 | 0,7     | 1750 | 15,4 |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 1500 | 15,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 1250 | 13,5 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 1100 | 13,7 |




| coils x pallet |
|----------------|
| 56             |
| 56             |
| 56             |
| 56             |

20' container




| pallet | coils |
|--------|-------|
| 10     | 560   |
| 10     | 560   |
| 10     | 560   |
| 10     | 560   |

40' container



| pallet | coils |
|--------|-------|
| 24     | 1344  |
| 24     | 1344  |
| 24     | 1344  |
| 24     | 1344  |

truck




| pallet | coils |
|--------|-------|
| 26     | 1456  |
| 26     | 1456  |
| 26     | 1456  |
| 26     | 1456  |

## 1000m coil




| Ø  | mil | mm    | bar | bar max | m    | Kg   |
|----|-----|-------|-----|---------|------|------|
| -  | -   | -     | -   | -       | -    | -    |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 1000 | 10,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 1000 | 10,7 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 1000 | 12,4 |




| coils x pallet |
|----------------|
| 72             |
| 60             |
| 60             |

20' container




| pallet | coils |
|--------|-------|
| 10     | 720   |
| 10     | 600   |
| 10     | 600   |

40' container



| pallet | coils |
|--------|-------|
| 24     | 1728  |
| 24     | 1440  |
| 24     | 1440  |

truck




| pallet | coils |
|--------|-------|
| 26     | 1872  |
| 26     | 1560  |
| 26     | 1560  |

## 200m coil




| Ø  | mil | mm    | bar | bar max | m   | Kg  |
|----|-----|-------|-----|---------|-----|-----|
| 16 | 6   | 0,150 | 0,7 | 0,8     | 200 | 2,2 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 200 | 2,5 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 200 | 2,6 |




| coils x pallet |
|----------------|
| 176            |
| 176            |
| 176            |

20' container




| pallet | coils |
|--------|-------|
| 10     | 1760  |
| 10     | 1760  |
| 10     | 1760  |

40' container



| pallet | coils |
|--------|-------|
| 24     | 4224  |
| 24     | 4224  |
| 24     | 4224  |

truck




| pallet | coils |
|--------|-------|
| 26     | 4576  |
| 26     | 4576  |
| 26     | 4576  |

## 100m coil




| Ø  | mil | mm    | bar | bar max | m   | Kg  |
|----|-----|-------|-----|---------|-----|-----|
| 16 | 6   | 0,150 | 0,7 | 0,8     | 100 | 1,3 |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 100 | 1,3 |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 100 | 1,5 |




| coils x pallet |
|----------------|
| 368            |
| 368            |
| 368            |

20' container




| pallet | coils |
|--------|-------|
| 10     | 3680  |
| 10     | 3680  |
| 10     | 3680  |

40' container



| pallet | coils |
|--------|-------|
| 24     | 8832  |
| 24     | 8832  |
| 24     | 8832  |

truck



| pallet | coils |
|--------|-------|
| 26     | 9568  |
| 26     | 9568  |
| 26     | 9568  |




## FREE IRRIGATION TOOL

Progetta il tuo impianto di irrigazione  
in 30 secondi

Design your drip irrigation system  
in 30 seconds

Concevez votre système d'irrigation  
en 30 secondes

Proyecta tu sistema de riego  
en 30 segundos



**SAB**  
cherish your water



**SAB S.p.A.**

via Salvo D'Acquisto  
61048 Sant'Angelo in Vado (PU) - Italy

tel. +39 0722 810 800

fax +39 0722 810 158

sab@tubi.net

[www.sabspa.com](http://www.sabspa.com)

**SYSTEM GROUP**

f b t g+ www.tubi.net